

Announcing:

2018 CQ DX Marathon

January 1 – December 31, 2018

Log Deadline: January 5, 2019

2017 Logs Due January 10th, 2018

The 2017 DX Marathon ends December 31, so please review your log and check for errors. The DX Marathon website <www.dxmarathon.com> has all the information on how to submit your 2017 log, along with many helpful hints on how to improve your score. The 2017 submission deadline is **January 10, 2018**. Starting with the **2018 DX Marathon**, the deadline will be **January 5th**.

The CQ DX Marathon is designed to promote DXing activity throughout the year rather than only on contest weekends and during DXpeditions. Because activity is not concentrated in particular time periods, credit is given for contacts on all ham bands, including those not normally used for contesting (e.g., 60, 30, 17, and 12 meters).

Scoring is simple: you score one point the first time you work a new country and/or a new zone during the course of the year. Add the points up at the end of the year for your total score. There are no multipliers.

Here are the complete rules:

Activity period: The CQ DX Marathon is a yearlong activity, beginning at 0000 UTC January 1 and ending at 2359 UTC December 31. Each year's event is separate.

Frequencies: Any authorized amateur frequency may be used. Contacts through repeaters or satellites are not allowed for credit, nor are contacts with maritime or aeronautical mobile stations. All contacts must be made entirely over amateur radio frequencies — i.e., Echolink-type contacts do not count.

Modes: Any authorized amateur mode may be used, but three modes will be recognized in the DX Marathon — **CW, Phone, and Digital**. Except for single mode submissions, cross-mode QSOs are permitted but the mode used by the DX Marathon participant must be shown in the submission.

General: Each entrant in the DX Marathon may submit one log each year per operating location. Participants submitting logs for single-mode or single-band entries must include only those contacts in their submission. Logs submitted with multiple modes or multiple bands will not be considered for single-mode or single-band awards. Entries with two or more callsigns will count as a single entry only if all contacts were made by the same (single) operator at the same station using the same antennas, and each callsign used is listed in the comments section of the submission form. Remote operation is permitted if all transmitters, receivers, and antennas are at a **single** physical location. A remote station in a different country than the entrant's country of license must comply with all local laws and regulations. If an entrant operates from both a primary station and a remote station, separate entries for each location may be submitted provided such separate entries have different callsigns or a portable call-sign designator. Entries that include contacts made with the assistance of remote receivers and/or transmitters in addition to contacts from a primary station are not permitted.

Categories

There are three entry classes, "Formula," "Limited," and "Unlimited."

Formula: An entrant may choose one of two options in this class: (1) All contacts must be made with a maximum output power of 5 watts, regardless of band or mode; or (2) the operator may run a maximum of 100 watts output to a simple antenna, such as a vertical or dipole (see the appendix below for further rules on antennas used in either option for Formula Class). An operator in Formula Class must select QRP (5 watts or less) or 100 watts and limited antennas at the beginning of the year's DX Marathon, and may not switch between entry modes during the year. All contacts must be made without the use of higher power or prohibited antennas to initially secure the contact. Use of spotting nets such as a DX Cluster® is allowed. Details of antennas used in either option of Formula Class must be included on the official submission form in order to qualify for Formula Class. Formula Class entries without antenna descriptions (type, height and length, for example) may be re-classified to Unlimited Class.

Limited: Limited Class entrants are allowed a maximum output power of 100 watts and simple antennas, such as verticals or dipoles, plus small directional antennas such as Yagis and multi-element loop, hex, and quad-type antennas for the 6-, 10-, 12-, 15-, 17-, and 20-meter bands, and single-element rotatable dipoles for the 30- and 40-meter bands. See the Appendix below for further description of Limited Class antennas that are allowed. All contacts must be made without the use of higher power or prohibited antennas to initially secure the contact. Use of spotting nets such as a DX Cluster® is allowed. Details of antennas used in Limited Class must be included on the official submission form in order to qualify for Limited Class. Limited Class entries without antenna descriptions (type, height and length, for example) may be re-classified to Unlimited Class.

Unlimited: Any antenna or antennas may be used, along with any power level for which the operator is licensed. Use of spotting nets such as DX Cluster® is allowed.

Scoring

Each country worked is worth one point. Each CQ zone worked is worth one point. The total score is the sum of zones and countries worked, on any mode and any authorized band. There are no multipliers of any kind. Each country and zone count only once. A single QSO may count for both a country and a zone. If in the course of the year you work 238 countries and 37 zones, your score is 275. If you work all 40 zones and 150 countries, your score is 190. The CQ DX Countries List and the CQ Zone List constitute the official lists. The lists are available on the DX Marathon website. In the case of ties, the operator whose last scoring contact was earlier chronologically will be judged the winner. Decisions of the Marathon Manager are final.

Submissions

Submissions must be made electronically, via email to <logs@dxmarathon.com>. A Microsoft Excel® template into which contacts may be entered is available for download from the CQ DX Marathon website at <www.dxmarathon.com>. The website also provides other options for those without access to Excel®. All scores must be received by January 5, 2019.

Verification: QSLs are not required. The operator is expected to claim contacts only from stations the operator has every reason to believe are legitimate, and only to claim contacts in which an accurate two-way exchange was clearly accomplished (see Appendix for further explanation). Scores will be adjusted by the DX Marathon committee for claimed contacts with pirates or any station not considered legitimate. Submissions may be penalized or voided in cases of fraud or poor sportsmanship. Every QSO may be subject to verification by the DX Marathon Manager. Decisions of the DX Marathon Manager are final.

Clubs: Clubs are strongly encouraged to use the framework of this contest for intramural and regional competitions. Please be sure to enter your club name on the submission form.

Results: The final listing of official scores and winners will be published in CQ magazine and/or the CQ website and the DX Marathon website after the results have been published in CQ Magazine.

Awards

Plaques: The DX Marathon will award plaques as follows: Highest overall score in Unlimited Class; highest overall score in Limited Class; highest overall score in Formula Class, both 5- and 100-watt options; highest overall CW only, highest overall SSB only and highest overall Digital only scores; highest overall score for single-band entries for the 10-, 12-, 15-, 17-, 20-, 30-, 40-, and 80-meter bands; highest overall score for each of the 6 continents and highest overall CW scores in Europe and North America. Plaques for CW, SSB, band, and continent winners are awarded regardless of class and will only be awarded if the winning scores in those categories are at least 50% of the score of the overall DX Marathon Unlimited Class winner. Entrants may receive only one plaque per year. In the case of a participant qualifying for more than one plaque, that participant will receive a plaque for the highest level based on the above order.

Certificates: Certificates are awarded to qualified participants in this order: Highest overall score in each country;

highest overall score in each CQ zone; highest overall score on the 6- and 160-meter bands; highest overall score in Unlimited, Limited, Formula 100 watt and Formula 5 watt classes in each USA callsign district; highest overall score in each Canadian callsign district; highest overall score for each of the three modes on each continent with the exception of CW in Europe and North America. Plaque winners are not eligible for certificates. Only one certificate will be awarded per entrant. In the case of a participant qualifying for more than one certificate, that participant will receive a certificate for the highest level based on the above order. In all cases, the rulings of the Marathon Manager are final.

Appendix

Formula Class antennas, option 1:

Operators selecting the 5-watt option are limited to antennas on a single tower and whose height does not exceed 65 feet or 20 meters above ground elevation. Wire antennas may also be used but must meet the criteria of the 100-watt option, and may be tower-supported at only one point.

Formula Class antennas, option 2:

Antennas for operators choosing the 100-watt option must be either simple verticals or wire antennas lacking significant gain. No arrays are allowed, whether vertical or horizontal. Wire antennas, regardless of type, may not exceed 130 feet or 40 meters in length, may not be higher than 65 feet or 20 meters above ground at any point of the antenna and may be tower-supported at only one point. The tallest point of verti-

cal antennas used may not be higher than 65 feet or 20 meters above ground. Yagis, quads, and rotatable dipoles may not be used in this category. There is no limit on the number of antennas that may be used as long as each antenna meets the above criteria.

Limited Class Antennas: Antennas for Limited Class include all Formula Class option 2 antennas for use on all bands plus directional antennas such as Yagis and multi-element loop, hex, and quad-type antennas on the 20-through 6-meter bands. Directional antennas with no more than 3 elements per band are allowed on the 20- through 6-meter bands. Boom length may not exceed 16 feet (5 meters) for antennas with booms. Single-element rotatable dipoles are allowed for the 30- and 40-meter bands. Directional antennas and rotatable dipoles must not be higher than 50 feet (15 meters) above ground and all antennas must be on a single tower or support.

Contacts: Each contact for a claimed country or zone must be a solid contact. The station claiming a contact with another station is expected to have had his or her callsign fully and accurately received and transmitted by the other station, and to have copied his/her own call being correctly sent by the other station. For example, K2MGA may not claim credit for a QSO with a DX station who had his call as K3MGA, even though in many cases the DX station would QSL the contact with the correction made (after receiving a card from K2MGA, realizing the error and correcting his/her log). For a contact to count, both stations must correctly copy all of both callsigns.

NEW! NEW! NEW!

We stock the new rugged FREESCALE 1KW transistor and parts for the 2M and 88-108MHz amplifier designs.



HF Broadband
RF Transformers
2 to 30MHz



COAX WIRE
TC-12 TC-18
TC-20 TC-22
TC-24



RF Transformers
Type "U"
2 to 300MHz

HF Amplifiers
We stock the complete parts list and PC boards for the Motorola amplifier designs featured in their Application Notes and Engineering Bulletins

AN779L (20W)	AN758 (300W)
AN779H (20W)	AR305 (300W)
AN762 (140W)	AR313 (300W)
EB63A (140W)	EB104 (600W)
EB27A (300W)	AR347 (1000W)



Communication Concepts, Inc.

508 Millstone Drive, Beavercreek, OH 45434-5840
Email: cci.dayton@pobox.com
www.communication-concepts.com

Phone (937) 426-8600
FAX (937) 429-3811

 **In Business for 37 Years**



HF Power Splitter / Combiners
2 to 30MHz

2 Port	PSC-2L	600W	PEP
	PSC-2H	1000W	PEP
4 Port	PSC-4L	1200W	PEP
	PSC-4H	2000W	PEP
	PSC-4H5	5000W	PEP